

## INDEX VOLUME 19

Citation refers to Issue Number and Page  
; (A) - Abstract

- ALAM, see STOW
- Baffin Island Shelf, bedrock geology; (A) MacLEAN 2, 101
- BARR, S.M., DOYLE, E.M. and TRAPASSO, L.S., Geochemistry and tectonic implications of mafic sills in Early Palaeozoic Formations of southwestern Nova Scotia; 2, 73
- BARR, S.M. and MacDONALD, A.S., Lower Carboniferous rocks of the Magdalen Islands: Volcanism in the Fundy Epicuegeosyncline; (A) 2, 91
- Beach foreshores, morphology, hydrodynamics and sediment transport; BRYANT 3, 127
- Bell Island, stratigraphy of the ?Cambro-Ordovician; (A) PICKERILL 2, 100
- Bell Island Group, Tremadoc-Arenig boundaries, eastern Newfoundland; PICKERILL 1, 21
- Biota and stratigraphy, Windsor Group, New Brunswick; PLINT 3, 107
- BLANCHARD-WILLIAMSON see FORBES 2, 98
- BOEHNER, R., Marginal molassic basin onlap and mineral deposits, Loch Lomond Basin, Cape Breton Island: (A) 2, 91
- BRYANT, E., Sediment characteristics of some Nova Scotian beaches; 3, 127
- BURKE, K.B.S. and CHANDRA, J.J., Preliminary interpretation of gravity and magnetic results from the Epicentral region of the 1982 Miramichi earthquakes; (A) 2, 93
- CAPE BRETON ISLAND  
Mabou Mines, fossil plant collections, implications of; (A) ZODROW 2, 99  
Plant-bearing strata, Upper Devonian; (A) FORBES 2, 98
- Cape Breton Island, Sydney Coalfield, non-marine algal limestone; VASEY 1,1
- Cambro-Ordovician, Bell Island and Wabana Groups, eastern Newfoundland; (A) PICKERILL 2, 100
- Campbellton Formation, fresh-water fossil assemblage, northern New Brunswick; (A) ZODROW 2,99
- Carmanville Ophiolitic mélange, timing of deformation, mechanism of cleavage development; WILLIAMS 1,31
- Carboniferous Basin, basement studies; (A) CHANDRA 2, 97
- Carboniferous succession, Loch Lomond Basin, mineral deposits; (A) BOEHNER 2, 91
- CHANDRA see BURKE
- CHANDRA, J.J. and WEBB, T.C., Basement studies in the southern central Carboniferous Basin - New Brunswick; (A) 2, 97
- CHANDRA, J.J. and WEBB, T.C., Geophysical modelling of salt masses and basement structures in the Moncton and Cumberland Basins; (A) 2, 103
- Coal deposition, Sydney Basin of Nova Scotia; (A) RUST 2, 102
- Coal rank changes, Sydney and Pictou Coalfields of Nova Scotia; (A) HACQUEBARD 2, 102
- Conception Bay, Newfoundland, Cruziana stratigraphy; (A) PICKERILL 2, 100
- Continental shelf, Baffin Bay, bedrock geology; (A) MacLEAN 2, 101
- Cruziana stratigraphy, Cambro-Ordovician, Bell Island, eastern Newfoundland; (A) PICKERILL 2, 100
- Cumberland Basin, geophysical modelling, salt masses, basement structures; (A) CHANDRA 2, 102
- Devonian, La Garde Formation, fresh-water fauna and flora; (A) FORBES 2, 92
- Devonian, upper, plant-bearing strata, Cape Breton Island; (A) FORBES 2, 98
- Devono-Carboniferous, volcanic rocks, petrology, geochemistry, Nova Scotia; DOSTAL 2, 59
- DILLES see RUST
- D'ORSAY see POLL
- DOSTAL, J., KEPPIE, J.D. and DUPUY, C., Petrology and geochemistry of Devono-Carboniferous volcanic rocks in Nova Scotia; 2, 59
- DOYLE see BARR
- Earthquakes, Miramichi 1982; (A) BURKE 2, 93
- FILLION see PICKERILL 1, 21; 2, 100
- Foliation, structure, timing of deformation, Carmanville Mélange, Newfoundland; WILLIAMS 1, 31
- FORBES see FYFFE 3, 117
- FORBES, W.H. and KASPER, A.K., Fresh-water fauna and flora assemblages from the Devonian La Garde Formation of norther New Brunswick; (A) 2, 92
- FORBES, W.H., KASPER, A.K., JAMIESON, R.A. and BLANCHARD-WILLIAMSON, M.C.; Upper Devonian plant-bearing strata from Cape Breton Island, Nova Scotia; (A) 2, 98
- Fredericton Trough, evolution of; (A) FYFFE 2, 94
- Fundy epicuegeosyncline, volcanism, Magdalen Islands; (A) BARR 2, 91
- FYFFE, L.R., Evolution of the Fredericton Trough; (A) 2, 94
- FYFFE, L.R., FORBES, W.H. and RIVA, J., Graptolites from the Benton area of west-central New Brunswick and their regional significance; 3, 117
- Geochemistry, mafic sills, Nova Scotia; BARR 2, 73
- Geochemistry, petrology, volcanic rocks, Nova Scotia; DOSTAL 2, 59
- GIBLING see RUST
- Gold Potential of the Meguma Group: New Concepts; (A) HAYNES 2, 96
- Graptolites, regional significance, Benton area, New Brunswick; (A) FYFFE 3, 117
- Gravity and magnetic results, Epicentral region, Miramichi Earthquaeas; (A) BURKE 2, 93
- JAMIESON see FORBES
- HACQUEBARD, P.A., Coal rank changes in the Sydney and Pictou Coalfields of Nova Scotia: cause and economic significance; (A) 2, 102
- Halifax Formation, morphology, tectonic implications of mafic sills; BARR 2, 73
- Halifax Formation, sedimentology of, Meguma Group; (A) STOW 2, 99
- HAYNES, S.J. and SMITH, P.K., Gold potential of the Meguma Group: New Concepts; (A) 2,96

- KARLSTROM see PLUIJM
- KASPER see FORBES
- KEPPIE see DOSTAL
- La Garde Formation, New Brunswick, fresh-water fauna and flora; (A) FORBES 2, 92
- Limestone, non-marine, environmental and correlative significance of; VASEY 1,1
- Loch Lomond Basin, Cape Breton Island, molassic basin onlap and mineral deposits; (A) BOEHNER 2, 91
- Lower Carboniferous volcanic rocks of the Magdalen Islands: Volcanism in the Fundy Epiuegeosyncline; (A) BARR 2, 91
- Mabou Mines, Cape Breton Island, fossil plant collections; (A) ZODROW 2, 99
- MacDONALD see BARR
- MacLEAN, B. and WILLIAMS, G.L., Regional bedrock geology of the Baffin Island Shelf; (A) 2, 101
- Magdalen Island, Lower Carboniferous volcanic rocks; (A) BARR 2, 91
- MASSON see RUST
- McAras Brook Formation, volcanic rocks, petrology, geochemistry; DOSTAL 2, 59
- Meguma Group, gold potential, new concepts; (A) HAYNES 2, 96
- Meguma Group, Halifax Formation, Sedimentology; (A) STOW 2, 99
- Mélange, timing of deformation, cleavage development, Carmanville, Newfoundland; WILLIAMS 1, 31
- Molassic basin onlap, mineral deposits, Loch Lomond Basin, Cape Breton Island; (A) BOEHNER 2, 91
- Moncton Basin, geophysical modelling, salt masses, basement structures; (A) CHANDRA 2, 103
- NEW BRUNSWICK
- Evolution of the Fredericton Trough; FYFFE 2, 94
- Fauna and flora assemblage, La Garde Formation; (A) FORBES 2, 92
- Geophysical modelling, Moncton and Cumberland Basin; (A) CHANDRA 2, 102
- Gravity and magnetic results, Miramichi earthquakes, Epicentral region; (A) BURKE 2, 93
- New fossil localities, Benton area, New Brunswick; (A) FYFFE 3, 117
- South central Carboniferous Basin, basement studies; (A) CHANDRA 2, 97
- Structural evolution, Quaco Head; (A) PLINT 2, 100
- Windsor Group, distribution, biota and stratigraphy; PLINT 3,107
- NEWFOUNDLAND
- Accretionary terrane, deformed, New World Island; (A) PLUIJM 2, 96
- Bell Island Group, Conception Bay, Tremadoc-Arenig boundaries; PICKERILL 1,11
- Cruziana stratigraphy, Bell Island and Wabana Groups, Conception Bay; (A) PICKERILL 2, 100
- New World Island, thrust sheets, deformed accretionary terrane, Newfoundland Appalachians; (A) PLUIJM 2,96
- Timing of deformation and the mechanism of cleavage development, mélange; WILLIAMS 1,31
- NOVA SCOTIA
- Coal rank changes, Sydney and Pictou Coalfields; (A) HACQUEBARD 2,102
- Correlative significance of a non-marine algal limestone; VASEY 1,1
- Fluvial style, coal deposition, Carboniferous Sydney Basin; (A) RUST 2, 102
- Geochemistry and tectonic implications of mafic sills; BARR 2,73
- Gold potential, Meguma Group; (A) HAYNES 2,96
- Sediment transport behaviour of beach foreshores; BRYANT 3,127
- Slate belt tectonics, Bickerton Barrens; (A) O'BRIEN 2,93
- Petrology, geochemistry, Devono-Carboniferous volcanic rocks; DOSTAL 2,59
- Sedimentology, Halifax Formation; (A) STOW 2,99
- O'BRIEN, B.H., Slate belt tectonics in the Bickerton Barrens, N.S.: Horizontal extension and simple shear within the Meguma Basin; (A) 2,93
- Ordovician turbidites, Halifax Formation; (A) STOW 2,99
- PATEL see PLINT
- Permo-Carboniferous redbeds, fluidization, Prince Edward Island, Canada; POLL 2, 49
- Petrology, geochemistry, volcanic rocks, Nova Scotia; DOSTAL 2, 59
- PICKERILL, R.K. and FILLION, D., Cruziana stratigraphy of the ?Cambro-Ordovician Bell Island and Wabana Groups, Conception Bay, eastern Newfoundland; (A) 2, 100
- PICKERILL, R.K. and FILLION, D., On the Tremadoc-Arenig and Lower-Upper Tremadoc boundaries in the Bell Island Group, Conception Bay eastern Newfoundland; 1, 11
- PIPER see STOW
- PLINT see POLL
- PLINT, A.G. and POLL, H.W. van de, Structural evolution of the Quaco Head area, southern New Brunswick; (A) 2, 100
- PLINT, A.G., POLL, H.W. van de and PATEL, I.M., Experiments in rheoplasia during sediment intrusion; 1,11
- PLINT, A.G., RYAN, R.J. and POLL, H.W. van de, The distribution, biota and stratigraphy of a Windsor Group limestone (Mississippian) and associated sediments in the Quaco Head area of southern New Brunswick; 3, 107
- PLUIJM, B.A. van der, WILLIAMS, P.F. and KARLSTROM, K.E., A deformed accretionary terrane in the Newfoundland Appalachians; (A) 2, 96
- POLL see PLINT 1,11; 2,100; 3,107
- POLL, H.W. van de and D'ORSAY, A.M., Polygonal patterns, sedimentary facies and basin analysis; (A) 2, 98
- POLL, H.W. van de and PLINT, A.G., Secondary sedimentary structures associated with fluidization zones in Permo-Carboniferous redbeds of Prince Edward Island, Canada; 2, 49.
- POPE, C.S., The stromatoporoid fauna of the West Point Formation (Silurian) on the Gaspé Peninsula; (A) 2, 95
- Polygonal patterns, sedimentary facies; (A) POLL 2, 98
- PRINCE EDWARD ISLAND
- Sedimentary structures, Permo-Carboniferous redbeds; POLL 2, 49
- Quaco Head, structural evolution, New Brunswick; (A) PLINT 2, 100

- QUEBEC  
Stromatopora fauna, Gaspé Peninsula; (A) POPE 2, 95
- Rheoplasis, experiments in during intrusion; PLINT 1,11
- RIVA see FYFFE
- RUST, B.R., MASSON, G., DILLES, S. and GIBLING, M.R., Fluvial style and its influence on coal deposition in the carboniferous Sydney Basin of Nova Scotia; (A) 2, 102
- RYAN see PLINT
- SMITH see HAYNES
- STOW, D.A.V., ALAM, M. and PIPER, D.J.W., Sedimentology of the Halifax Formation, Nova Scotia: Ordovician fine-grained turbidites; (A) 2, 99
- Stromatolites, Morien Group, Sydney Coalfield, Cape Breton Island; VASEY 1,1
- Stromatopora fauna, West Point Formation, Gaspé Peninsula; (A) POPE 2, 95
- Structures, foliation, deformation, cleavage development, Carmanville Mélange, Newfoundland Mélange; WILLIAMS 1, 31
- Sydney Basin, coal deposition, fluvial style; (A) RUST 2,102
- Sydney Coalfield, non-marine algal limestone, environmental and correlative significance; VASEY 1,1
- Sydney and Pictou Coalfields, coal rank changes; (A) HACQUEBARD 2, 102
- Tectonic implications of mafic sills, Torbrook Formation, morphology, Nova Scotia; BARR 2, 73
- Tectonics, Bickerton Barrens, N.S.; (A) O'BRIEN 2, 93
- Trace fossils, nature and stratigraphic distribution, Bell Island, Newfoundland; PICKERILL 1, 21
- TRAPASSO see BARR
- Tremadoc-Arenig boundaries, Bell Island Group, Conception Bay, Newfoundland; PICKERILL 1,21
- VASEY, G.M. and ZODROW, E.L., Environmental and correlative significance of a non-marine algal limestone (Westphalian D), Sydney Coalfield, Cape Breton Island, Nova Scotia; 1,1
- Volcanic rocks, Magdalen Islands; (A) BARR 2, 91
- Volcanic rocks, petrology, geochemistry, Devonian-Carboniferous of Nova Scotia; DOSTAL 2,59
- WEBB see CHANDRA 2:97, 103
- West Point Formation, Gaspé Peninsula, stromatopora fauna; (A) POPE 2, 95
- WILLIAMS see MacLEAN
- WILLIAMS see PLUIJM
- WILLIAMS, P.F., Timing of deformation and the mechanism of cleavage development in a Newfoundland mélange; 1,31
- Windsor Group limestone, associated sediments, biota and stratigraphy of; PLINT 3, 107
- ZODROW see VASEY
- ZODROW, E.L., The Mabou Mines section: Implications of fossil plant collections; (A) 2, 99