

Volume 26 1990
Year-End Author Index

- Akhavi, M.S. An overview of case studies demonstrating the utility of remote sensing technology for geoscience research in Nova Scotia, 166.
- Al, T. Gold mineralization associated with the Betts Cover Complex, 192.
- Anderson, A.J., MacArthur, J.D., and Clark, A.H. Proton microbeam analysis of fluid inclusions from rare-element and miarolitic pegmatites, 166.
- Atlantic Geoscience Centre. The geology of the continental margin of eastern Canada, 166.
- Avery, M., see Mukhopadhyay, P.K., 182.
- Barr, S.M., see White, C.E., 109.
- Barr, S.M., see White, C.E., 189.
- Barr, S.M., see White, C.E., 259.
- Batterson, M.J. Quaternary geology and glacial history of Labrador: an overview, 286.
- Beddoes, R.J., see Roulston, B.V., 185.
- Bevier, M.L., see McCutcheon, S., 181.
- Bevier, M.L., see McCutcheon, S., 237.
- Bevier, M.L., see White, C.E., 189.
- Bevier, M.L., see White, C.E., 259.
- Birkett, T. The Fleming chert-breccia, Labrador Trough, Labrador, 286.
- Boehner, R.C., see Ryan, R.J., 186.
- Bragg, D. Bedrock aggregate potential of Newfoundland, 192.
- Broster, B.E. and Burke, K.B.S. Glacigenic postglacial faulting at Saint John, New Brunswick, 125.
- Burke, K.B.S., see Broster, B.E., 125.
- Burzynski, J.F., see Mossman, D.J., 181.
- Calder, J.H., see Mukhopadhyay, P.K., 182.
- Calder, J.H., see Ryan, R.J., 186.
- Calder, J.H., Gillis, K.S., MacNeil, D.J., Naylor, R.D., and Smith, W.D. Current coal geoscience research at the Nova Scotia Department of Mines and Energy, 167.
- Cameron, B. and Jones, R.J. Non-marine fossils of the Late Triassic-Early Jurassic Fundy Group of the Annapolis Valley, Nova Scotia, 167.
- Campbell, J.E. and Raeside, R.P. New $^{40}\text{Ar}/^{39}\text{Ar}$ ages of gneissic, greenschist and contact metamorphisms in the eastern Creignish Hills, Cape Breton Island, Nova Scotia, 167.
- Campbell, R.M., see White, C.E., 109.
- Cassedy, P., see Doig, R., 169.
- Chatterjee, A.K., see Kontak, D.J., 176.
- Chatterjee, A.K., see MacDonald, M.A., 180.
- Chown, E.H. and Guha, J. Metallogeny related to plutonism in the Northern Abitibi Belt, 192.
- Churchill, R. Geological implications of stratiform sill, Cape St. Francis area, Newfoundland, 294.
- Clark, A.H., see Anderson, A.J., 166.
- Connelly, J.N., Heaman, L., Krogh, T.E., and Rivers, T. U-Pb geochronology and the evolution of the Grenville Province of western Labrador, 286.
- Corey, M.C., see Horne, R.J., 173.
- Corey, M.C., see MacDonald, M.A., 180.
- Corey, M.C., Horne, R.J., and Smith, P.K. Geology and mineralization associated with the Tobeatic Lake Shear Zone; southwestern Nova Scotia, 168.
- Cormier, R.F., see Kontak, D.J., 177.
- Corney, R. Sedimentation at the Appalachian Thrust Front, Port Au Port Peninsula, western Newfoundland, 294.
- Crosby, R.M., Greenough, J.D., Hattie, D., and Venugopal, D.V. Post-Triassic mineralization in central New Brunswick: implications of the McBean Brook Zn-Pb-Ag occurrence, 1.
- Culshaw, N., see Stokes, T.R., 188.
- Dallmeyer, R.D., see Keppie, J.D., 175.
- Dallmeyer, R.D., see Keppie, J.D., 176.

- Dallmeyer, R.D., Doig, R., Nance, R.D., and Murphy, J.B. $^{40}\text{Ar}/^{39}\text{Ar}$ and U-Pb mineral ages from the Brookville Gneiss: implications for terrane analysis and evolution of Avalonian "basement" in southern New Brunswick, 247.
- Davenport, P.H. and Nolan, W.L. Geological structure from surface geochemistry, 193.
- Davenport, P.H., Kilfoil, G.J., and Nolan, W.L. Geochemical and geophysical images of Labrador, 287.
- de Roo, J.A., Moreton, C., Williams, P.F., and van Staal, C.R. The structure of the Heath Steele Mines region, Bathurst Camp, New Brunswick, 27.
- Deveau, K.A., see White, C.E., 259.
- Doig, R., see Dallmeyer, R.D., 247.
- Doig, R., Murphy, J.B., Nance, R.D., and Pe-Piper, G. U-Pb geochronology of Precambrian rocks, eastern Cobequid Highlands, Avalon Terrane, Nova Scotia, 169.
- Doig, R., Nance, R.D., Murphy, J.B., and Cassedy, P. Earliest Silurian age for the bimodal Kingston dike complex in southern New Brunswick, Canada, 169.
- Dolby, G., see Ryan, R.J., 186.
- Donelick, R., see Li, G., 178.
- Dunning, G.R., see Stewart, P.W., 187.
- Durling, P. and Marillier, F. Structural trends and basement rock subdivisions in the western Gulf of St. Lawrence: Reply, 281.
- Durling, P.W. and Marillier, F.J.Y. Structural trends and basement rock subdivisions in the western Gulf of St. Lawrence, northern Appalachians, 79.
- Edwards, S.J. Bay of Islands ophiolite harzburgites and refractory melts: the PGE story, 193.
- Fensome, R.A. and Williams, G.L. Evolution and classification of dinoflagellates, 170.
- Fowler, M.G., see Mukhopadhyay, P.K., 182.
- Fryer, B., see Kerr, A., 288.
- Fyffe, L.R., see St. Peter, C.J., 277.
- Fyffe, L.R. and Riva, J. Revised stratigraphy of the Cookson Group of southwestern New Brunswick and adjacent Maine, 271.
- Gao, Z. and Zodrow, E.L. Heteromorphic strobili and polyphyly of *Sphenophyllum oblongofolium* (Germar et Kaulfuss, 1831) Unger, 1950, 170.
- Gillespie, R.T. Synthetic aperture radar: a valuable remote sensing tool for the geoscientist in Newfoundland, 194.
- Gillis, K.S., see Calder, J.H., 167.
- Goodwin, L.B. and Williams, P.F. Strike-slip motion along the Baie Verte Line, Newfoundland, 170.
- Gower, C.F. Middle Proterozoic evolution of the eastern Grenville Province and Grenvillian-Sveconorwegian orogenesis, 287.
- Graves, M. Geology and lithological correlation of Cape Porcupine, Aulds Cove, Guysborough County, Nova Scotia, 171.
- Greenough, J.D., see Crosby, R.M., 1.
- Grist, A.M., see Ryan, R.J., 186.
- Grist, A.M., Reynolds, P.H., and Zentilli, M. Provenance and thermal history of detrital sandstones of the Scotian Basin, offshore Nova Scotia, using apatite fission track and $^{40}\text{Ar}/^{39}\text{Ar}$ methods, 171.
- Guha, J., see Chown, E.H., 192.
- Ham, L.J., see Horne, R.J., 173.
- Ham, L.J., see MacDonald, M.A., 180.
- Ham, L.J. and MacDonald, M.A. The Davis Lake Pluton: results from recent mapping, 172.
- Hatcher, P.G., see Mukhopadhyay, P.K., 182.
- Hattie, D., see Crosby, R.M., 1.
- Heaman, L., see Connelly, J.N., 286.
- Hendriks, M., Jamieson, R.A., Reynolds, P.H., and Zentilli, M. Cooling and uplift history of the Long Range Inlier, Newfoundland, using fission track thermochronometry, 172.
- Henry, A.S. The geochemistry and origin of the Bourne Complex, northwestern Ellesmere Island, Canada, 294.
- Hill, J., Krogh, T., and Theriault, R. Implications of isotopic data from granitoid plutons in the Canso area, eastern Meguma Terrane, Nova Scotia, 173.
- Horne, R.J., see Corey, M.C., 168.
- Horne, R.J., see MacDonald, M.A., see 180.
- Horne, R.J., Corey, M.C., Ham, L.J., and MacDonald, M.A. Emplacement of the South Mountain Batholith: structural and intrusive considerations, 173.
- Hudson, K.A. and Swinden, H.S. The Lake Bond deposit: superimposed volcanogenic and synorogenic base and precious metal mineralization in the Robert's Arm Group, central Newfoundland, 11.

Hunt, P.A., see Sangster, A.L., 229.

Jamieson, R.A., see Hendriks, M., 172.

Jansa, L.F. and Pe-Piper, G. New radiometric data from basement rocks offshore Nova Scotia, 174.

Jones, R.J., see Cameron, B., 167.

Kay, W., see Keen, C.E., 174.

Keen, C.E., Kay, W., Keppie, J.D., Marillier, F., McLean, B., Pe-Piper, G., Stockmal, G.S., and Waldron, J.W.F. Lithoprobe east marine deep seismic reflection data, Bay of Fundy and the Gulf of Maine: pre-preliminary interpretation, 174.

Keen, M.J. Geochemistry of basalts from deep sea drilling sites in the North and South Atlantic and the Indian Ocean correlates with initial elevation at ridge crests, 175.

Keen, M.J. Getting scientists into the Dartmouth schools, 175.

Keppie, J.D., see Keen, C.E., 174.

Keppie, J.D. and Dallmeyer, R.D. Tectonic map of Pre-Mesozoic terranes in Circum-Atlantic Phanerozoic orogens: a 1:5,000,000 compilation, 176.

Keppie, J.D., Dallmeyer, R.D., and Murphy, J.B. Implications of $^{40}\text{Ar}/^{39}\text{Ar}$ hornblende ages from late Proterozoic-Cambrian plutons in the Avalon composite Terrane of Nova Scotia, 175.

Kerr, A., Krogh, T., Fryer, B., and Wilton, D. Crustal evolution in the Makkovik Province of Labrador: evidence from geochemical and isotopic studies of plutonic rocks, 288.

Kilfoil, G.J., see Davenport, P.H., 287.

Kontak, D.J. and Smith, P.K. Geological and $^{40}\text{Ar}/^{39}\text{Ar}$ geochronological constraints on the timing of quartz vein formation in Meguma Group lode-gold deposits, Nova Scotia, 201.

Kontak, D.J., Chatterjee, A.K., Reynolds, P.H., and Taylor, K. $^{40}\text{Ar}/^{39}\text{Ar}$ chronological study of the Liscomb Complex, Meguma Terrane, southern Nova Scotia, 176.

Kontak, D.J., Cormier, R.F., and Reynolds, P.H. Rb/Sr and $^{40}\text{Ar}/^{39}\text{Ar}$ geochronological studies of the tin-bearing East Kemptville leucogranite, southwest Meguma Terrane, Nova Scotia: evidence for multiple episodes of tectono-thermal perturbations, 177.

Kontak, D.J., Smith, P.K., Reynolds, P.H., and Taylor, K. Absolute dating of meguma gold mineralization in the eastern Meguma Terrane using $^{40}\text{Ar}/^{39}\text{Ar}$ technique: chronological evidence for convergent metallotectonic processes in the Meguma Terrane at ca. 370 Ma, 177.

Krogh, T., see Hill, J., 173.

Krogh, T., see Kerr, A., 288.

Krogh, T.E., see Connelly, J.N., 286.

Lane, T. Sphalerite/dolomite stratigraphy and the tectonic origin of an MVT deposit, Daniel's Harbour, western Newfoundland, 194.

Leblanc, M., see Mossman, D.J., 181.

LeBlanc, S. Petrochemistry and tectonic setting of volcanic rocks in the Antinouri Lake Brook area, northern New Brunswick, 295.

Lentz, D. and McAllister, A.L. The petrogenesis of tin- and sulfide-lode mineralization at True Hill, southwestern New Brunswick, 139.

Li, G. Radon measurements in exploration, ground water surveys, and disaster prevention in coal mines, 178.

Li, G., Donelick, R., and Zentilli, M. Neutron calibration for fission track dating, 178.

Lin, S. and Williams, P.F. A preliminary report on the Eastern Highlands shear zone, Cape Breton Island, Nova Scotia, 179.

Lithoprobe East transect group. A deep structural cross-section of the Appalachian Orogen in Newfoundland: Lithoprobe east seismic reflection profiling, 1990, 194.

MacArthur, J.D., see Anderson, A.J., 166.

MacDonald, D. Geochemical discrimination of provenance and tectonic setting of siliciclastic rocks in the Antigonish Highlands, Nova Scotia, 179.

MacDonald, D.J., see Mukhopadhyay, P.K., 182.

MacDonald, M.A., see Ham, L.J., 172.

MacDonald, M.A., see Horne, R.J., 173.

MacDonald, M.A., Corey, M.C., Ham, L.J., Horne, R.J., and Chatterjee, A.K. Recent advances in the geology of the South Mountain Batholith: anatomy and origin of a batholith, 180.

MacNaughton, R.B. Ichnology of the Triassic Lepreau Formation, southern New Brunswick, Canada, 180.

MacNeil, D.J., see Clader, J.H., 167.

Marillier, F., see Keen, C.E., 174.

Marillier, F.J.Y., see Durling, P.W., 79.

McAllister, A.L., see Lentz, D., 139.

- McCutcheon, S. and Bevier, M.L.** Two U-Pb ages from the Upsalquitch Forks area, northern New Brunswick: economic and tectonic implications, 181.
- McCutcheon, S.R. and Bevier, M.L.** Implications of field relations and U-Pb geochronology for the age of gold mineralization and timing of Acadian deformation in northern New Brunswick, 237.
- McDonald, S.** Contact mapping and modeling using magnetics, Heath Steele Mine area, northern New Brunswick, 295.
- McLean, B.**, see Keen, C.E., 174.
- Mengel, F., Rivers, T., and Reynolds, P.** Evolution of the Proterozoic/Archaean boundary in northern Labrador: an example from the Saglek area, 289.
- Miller, R.F.** New records of postglacial walrus and a review of Quaternary marine mammals in New Brunswick, 97.
- Miller, R.R.** Rare metals (Y, Zr, Nb, REE) in Labrador, 289.
- Moreton, C.**, see de Roo, J.A., 27.
- Mortensen, J.K.**, see Sangster, A.L., 229.
- Mossman, D.J., Leblanc, M., and Burzynski, J.F.** Metallogenesis of antimony-gold in Canadian Appalachian orogen compared with Hercynian-Mauritanide orogenic belt of western Europe and Morocco, 181.
- Mott, R.J.**, see Stea, R.R., 187.
- Mukhopadhyay, P.K., MacDonald, D.J., Naylor, R.D., Smith, W.D., Calder, J.H., Fowler, M.G., and Hatcher, P.G.** Hydrocarbon generation and migration of oil shale, coal, and sandstone sequence from the Westphalian B-D (carboniferous) sediments of Stellarton Basin, Nova Scotia, 182.
- Mukhopadhyay, P.K., Wade, J.A., Fowler, M.G., and Avery, M.** Source-rock potential and maturation of Jurassic-Cretaceous sediments and their relation to hydrocarbon occurrence and overpressuring, 182.
- Murphy, J.B.**, see Dallmeyer, R.D., 247.
- Murphy, J.B.**, see Doig, R., 169.
- Murphy, J.B.**, see Keppie, J.D., 175.
- Murphy, J.B. and Nance, R.D.** Proterozoic tectonostratigraphy of the Avalonian-Cadomian belt: an example of orogenic activity at the extremity of a Late Proterozoic supercontinent, 183.
- Nance, R.D.**, see Dallmeyer, R.D., 247.
- Nance, R.D.**, see Doig, R., 169.
- Nance, R.D.**, see Murphy, J.B., 183.
- Naylor, R.D.**, see Calder, J.H., 167.
- Naylor, R.D.**, see Mukhopadhyay, P.K., 182.
- Nolan, W.L.**, see Davenport, P.H., 193.
- Nolan, W.L.**, see Davenport, P.H., 287.
- O'Brien, B.H. and O'Brien, S.J.** Late Precambrian basement - Silurian cover relationships and tectonostratigraphic affiliations in southern Newfoundland, 195.
- O'Brien, S.J.**, see O'Brien, B.H., 195.
- O'Reilly, G.A.** Petrographic and geochemical evidence for a hypogene origin of granite-hosted, vein-type Mn mineralization at the New Ross Mn mines, Lunenburg County, Nova Scotia, 183.
- Palmer, D.A.S.** Crystallochemical characterization of white micas from the East Kemptville tin deposit, Nova Scotia, 295.
- Patey, K.S.** Lode gold mineralization at Deer Cove, Baie Verte Peninsula, Newfoundland, 184.
- Patey, K.S. and Wilton, D.H.C.** The Deer Cove mesothermal lode gold deposit, Baie Verte Peninsula, Newfoundland, 195.
- Pe-Piper, G.**, see Doig, R., 169.
- Pe-Piper, G.**, see Jansa, L.F., 174.
- Pe-Piper, G.**, see Keen, C.E., 174.
- Pe-Piper, G. and Piper, D.J.W.** Role of volatiles in the petrogenesis of the Carboniferous North River and West Moose River plutons, Cobequid Highlands, 184.
- Pickerill, R.K.**, see Tanoli, S.K., 57.
- Pickerill, R.K.** Nonmarine *Paleodictyon* from the Carboniferous Albert Formation of southern New Brunswick, 157.
- Piper, D.J.W.**, see Pe-Piper, G., 184.
- Pope, A.J.** Structural setting of Pb-Zn-Cu-Ag mineralization in the northern Purcell Anticlinorium, southeast British Columbia, 196.
- Pratt, B.R. and Waldron, J.W.F.** A trilobite-bearing horizon in the Meguma Group of Nova Scotia, 185.
- Raeside, R.P.**, see Campbell, J.E., 167.
- Reynolds, P.**, see Mengel, F., 289.
- Reynolds, P.H.**, see Grist, A.M., 171.

- Reynolds, P.H., see Hendriks, M., 172.
Reynolds, P.H., see Kontak, D.J., 176.
Reynolds, P.H., see Kontak, D.J., 177.
Reynolds, P.H., see Stokes, T.R., 188.
Riva, J., see Fyffe, L.R., 271.
Rivers, T., see Connelly, J.N., 286.
Rivers, T., see Mengel, F., 289.
Rivers, T. Outline of the Grenville Province in Labrador, 290.
Roulston, B.V. and Beddoes, R.J. Mining research at Potash Company of America in New Brunswick, 185.
Ryan, R.J., Boehner, R.C., Calder, J., and Dolby, G. New palynological age dates, zonations, and stratigraphy in the Permo-Carboniferous strata of the Cumberland Basin, Nova Scotia, 186.
Ryan, R.J., Grist, A.M., Zentilli, M., and Boehner, R. Comparison of apatite fission track length spectra and organic maturation indicators in the Maritimes Basin, eastern Canada, 186.
- Sangster, A.L., Hunt, P.A., and Mortensen, J.K. U-Pb geochronology of the Lime Hill gneissic complex, Cape Breton Island, Nova Scotia, 229.
Smith, P.K., see Corey, M.C., 168.
Smith, P.K., see Kontak, D.J., 201.
Smith, P.K., see Kontak, D.J., 177.
Smith, W.D., see Calder, J.H., 167.
Smith, W.D., see Mukhopadhyay, P.K., 182.
Stea, R.R. and Mott, R.J. New Quaternary age dates in Atlantic Canada, 187.
Stewart, P.W. and Dunning, G.R. The La Poile Group, the Hope Brook gold mine and geochronology, 187.
Stockmal, G., see Waldron, J.W.F., 189.
Stockmal, G.S., see Keen, C.E., 174.
Stockmal, G.S. The stratigraphy of the Alberta foreland basin: an interpretation in terms of Cordilleran tectonics, 196.
Stockmal, G.S. and Waldron, J.W.F. Crustal structural relations on Port au Port Peninsula, western Newfoundland: insights from seismic reflection data, and implications for allochthoneity in the Humber Zone, 196.
Stokes, T.R., Zentilli, M., Culshaw, N., and Reynolds, P. $^{40}\text{Ar}/^{39}\text{Ar}$ dating constraints on gold-quartz breccia mineralization of the south Gordon Lake region, N.W.T., 188.
St. Peter, C.J. and Fyffe, L.R. Structural trends and basement rock subdivisions in the western Gulf of St. Lawrence: Discussion, 277.
Swinden, H.S., see Hudson, K.A., 11.
- Tanoli, S.K. and Pickerill, R.K. Lithofacies and basinal development of the type 'Etcheminian Series' (Lower Cambrian Ratcliffe Brook Formation), Saint John area, southern New Brunswick, 57.
Taylor, K., see Kontak, D.J., 176.
Taylor, K., see Kontak, D.J., 177.
Theriault, R., see Hill, J., 173.
- van Gool, J. The Grenville front fold and thrust belt in western Labrador, 290.
van Staal, C.R., see de Roo, J.A., 27.
Venugopal, D.V., see Crosby, R.M., 1.
- Wade, J.A., see Mukhopadhyay, P.K., 182.
Waldron, J.W.F., see Keen, C.E., 174.
Waldron, J.W.F., see Pratt, B.R., 185.
Waldron, J.W.F., see Stockmal, G.S., 196.
Waldron, J.W.F. and Stockmal, G. Structure and significance of the Acadian deformation front, western Newfoundland, 189.
Wardle, R.J., Gower, C.F., and Kerr, A. The southeastern margin of Laurentia ca. 1.7 Ga: the case of the missing crust, 291.
White, C.E., Barr, S.M., and Bevier, M.L. Late Precambrian U-Pb ages for the Brookville Gneiss, southern New Brunswick: implications for stratigraphy of the Avalon Terrane, 189.
White, C.E., Barr, S.M., Bevier, M.L., and Deveau, K.A. Field relations, petrography, and age of plutonic units in the Saint John area of southern New Brunswick, 259.
White, C.E., Barr, S.M., and Campbell, R.M. Petrology of the Creignish Hills Pluton, Cape Breton Island, Nova Scotia, 109.
Williams, G.L., see Fensome, R.A., 170.
Williams, P.F., see de Roo, J.A., 27.

Williams, P.F., see Goodwin, L.B., 170.

Williams, P.F., see Tin, S., 179.

Williams, S.H. An Arenig graptolite from Bell Island, eastern Newfoundland - its biostratigraphic and paleogeographic significance, 43.

Wilson, R. Volcanology of subaqueous felsic volcanic rocks, Mount Carleton area, north-western New Brunswick, 190.

Wilton, D., see Kerr, A., 288.

Wilton, D.H.C., see Patey, K.S., 195.

Wilton, D.H.C. An overview of Labrador geology and metallogeny, 292.

Wilton, D.H.C. Metallogeny of the Labrador Central Mineral Belt, 291.

Zentilli, M., see Grist, A.M., 171.

Zentilli, M., see Hendriks, M., 172.

Zentilli, M., see Li, G., 178.

Zentilli, M., see Ryan, R.J., 186.

Zentilli, M., see Stokes, T.R., 188.

Zodrow, E.L., see Gao, Z., 170.