

The International Hydrographic Review

Instructions for Contributors

The International Hydrographic Review is an international journal publishing original works on all aspects of hydrography and associated subjects, ranging from the latest technical developments to history. It also provides a medium for discussions in the form of shorter articles and notes.

Submissions should be sent to:

Mr. Adam J. Kerr
Flagstaff Cottage,
Lamorna,
Penzance,
Cornwall TR19 6XQ
United Kingdom
Tel: 44 1736 731 228
Fax: 44 1736 731 976
e-mail: Adam.J.Kerr@btopenworld.com

or to:

Nynke van den Berg
GITC bv.
PO Box 112,
8530 AC Lemmer,
The Netherlands
Tel: 31 514 56 18 54
Fax: 31 514 56 38 98
e-mail: nynke.vandenberg@gitc.nl

ARTICLES should be 4,000-6,000 words long, although longer articles may be considered. Authors are responsible for ensuring that all manuscripts are accurately typed before final submission. Contributions are normally received with the understanding that they comprise original, unpublished material and are not being submitted for publication elsewhere. All articles will be refereed by at least two persons, to ensure both accuracy and relevance and amendments to the script may be required before final acceptance. On acceptance contributions are subject to editorial amendment. Authors will receive a proof copy of the final article before publication. Reasonable amendments may be made by the author at that time.

NOTES of approximately 1,500-2,500 words may be accepted if the subject does not lend itself to a full article. These will not be refereed but will be subject to editorial comment and amendments.

MEETING REPORTS. When appropriate the Review may contain reports of relevant meetings.

BOOK REVIEWS should normally be approximately 1,000 words in length.

Layout of articles

- Short title (up to 40 characters including spaces), subtitle (if desired), author(s) name(s) and affiliation(s).
- Abstract of approximately 100 words, outlining in a single paragraph, the aims, scope and conclusions of the paper.
- Main body of text, with sub-titles to emphasise changes of topic. Ideally in blocks of approximately 500 words.
- References.
- Appendices as required.
- Illustrations in original form with captions, provided separately from the text. The use of coloured illustrations should be discussed prior to submission of the article.

References

Bibliographical references should be listed at the end of the articles in the standard

Harvard form. Footnotes should be kept to a minimum and the metric system used throughout. References should take the following form: In the body of the text, the author(s) name(s) followed by the year of publication, all in parentheses e.g. (Smith 1975). The list of references should be at the end in the following form: For journals: Authors name followed by initials; additional authors' names, the year in parentheses, the title of the article, the name of the journal in italics, the number of the journal and the pages in the journal e.g. Smith, J. and Brown, P. (1975). Errors in Multibeam surveys. *Hydrographic Journal*, 99, 24-32.

For books: Author's name, other authors' names, date in parentheses, title of book in italics, publisher, place published. e.g. Smith, J. (1981) *Continental Shelf Limits*. Oxford University Press, Oxford.

Delivery of Material

Typescript: Text should be attached to an e-mail as a WORD document.

Illustrations: Should be separated from the WORD file. We prefer to receive hard copy illustrations (e.g. photographs, slides or negatives). If you decide to deliver illustrations in digital form, please note that the minimum resolution of the illustrations should be 367 dpi at reproduction size (10X15cm) and conform to one of the following formats: TIFF, GIF, JPEG, or EPS. These also should be sent as an attachment to an e-mail.

Copyright

Any permission needed to incorporate material published elsewhere is the responsibility of the authors and it will be assumed that such permission has been maintained.

Requirement for personal photograph and biography

Following the acceptance of the contribution, authors should provide short biographies and a head and shoulders photograph of all authors.

SURVEY ECHO SOUNDER E-Sea Sound MP 35

The E-Sea Sound MP 35 is a revolutionary dual channel echo sounder. The outside may look familiar, but the inside is entirely new.

Selectable frequencies.

Any frequency can be selected on each of the two channels, in the range from 12 kHz up to 250 kHz in intervals of 1 kHz.

Powerful.

Adjustable transmission power up to 3.5 kW ensures excellent deep water capabilities.

Data presentation.

Data is displayed on screen in real time. Data can also be stored on the built-in ZIP drive, allowing re-scaling during play-back.

Depth data can be printed on the built-in 8" thermal printer, or on an external colour printer.

Other features include:

- Multiple layer tracking
- CTD profile input
- Heave, Roll, Pitch input
- Advanced annotation
- Master/slave function
- Self check functions
- Screen scope tuning
- Multi languages
- PC technology
- Power booster available



E-Sea Sound MP 35



Transducer and housing for hull mounting



Dual frequency transducer with outboard rig



The E-Sea Sound is excellent for portable use

A WAVE OF USEFUL PRODUCTS



MARIMATECH

Samsøvej 30 • DK-8382 Hinnerup • Denmark
Phone: +45 - 86 91 22 55 • Telefax: +45 - 86 91 22 88
e-mail: mail@marimatech.com • Web: www.marimatech.com



dKart Office

Professional software designed specially for production of Electronic Navigational Charts (ENC/EC), traditional Paper Charts and Notice to Mariners.

The dKart Office system is based on a family of software tools for management, production, maintenance & update of all cartographic data as it becomes available. dKart tools are designed to meet IHO's S-57 standards and can be interfaced to existing chart production lines.

dKart tools can also operate as fully functional stand-alone modules.

Visit www.hydroservice.no for further information and/or evaluation software.

HydroService AS

P.O.Box 212, Hovlandsveien 52

N-4379 Egersund, Norway

Phone: +47 51 46 49 60 Fax: +47 51 46 47 01

E-mail: info@hydroservice.no Web: www.hydroservice.no

HydroService
dKart technology