


56  
1

Hoffman  
1959  
UNIVERSITY OF TORONTO

# THE INTERNATIONAL HYDROGRAPHIC REVIEW



**INTERNATIONAL HYDROGRAPHIC BUREAU  
MONACO**

Vol. LVI No 1  
N° 104 OF THE SERIES

JANUARY 1979

633818







Recently published by the International Hydrographic Organization : —



The 1979 Edition of the  
**YEARBOOK**  
of the  
**INTERNATIONAL HYDROGRAPHIC ORGANIZATION**

containing particulars about Hydrographic Services throughout the world,  
together with details about the scope of their work.

This invaluable reference work also features particulars about the participation  
of the forty-five maritime nations whose Governments are Members of the  
International Hydrographic Organization.

Price : 40 francs.



**LIST OF IHO PUBLICATIONS**  
1979 edition  
English & French versions. Free.



**INFORMATION CONCERNING RECENT BATHYMETRIC DATA**

List No. 8, bilingual, with data on 87 cruises.

Published Sept. 78, 60 pp. Price : 10 francs.

**MICROFILMS**

of all issues of the  
**INTERNATIONAL HYDROGRAPHIC REVIEW**

can be ordered University Microfilms International at either 300 North  
Zeeb Road, ANN ARBOR, Michigan 48106, U.S.A., or 18 Bedford Row,  
LONDON WC1R 4EJ, England, to whom all enquiries for this service  
should be addressed.

Xerographic copies of out-of-print issues of the complete Review, as well  
as of individual articles can also be supplied.

Some Special Publications of the  
INTERNATIONAL HYDROGRAPHIC ORGANIZATION :

# **HYDROGRAPHIC DICTIONARY**

(THIRD EDITION)

Special Publication No. 32

A dictionary containing definitions of over 5,600 current technical terms. In its bilingual version has full definitions in both English and French.

Price : 70 francs (English/French)  
45 francs (English only)

XXXXXXXXXXXXXXXXXXXX

## **RADIO AIDS**

### **TO MARITIME NAVIGATION AND HYDROGRAPHY**

(S.P. 39 - 2nd Edition, 1965 - reprinted 1969)

Contains information concerning the use of radioelectric systems as applied to ordinary navigation as well as to hydrographic surveying. Approximately 550 pages with about 270 figures.

The following subjects are treated.

1. The spectrum and propagation of electromagnetic waves.
2. Equipment for use in marine navigation : Radio direction-finding, Loran, Decca, Consol, Radar, and Omega.
3. Equipment for use in hydrographic surveying : Decca, Raydist, Lorac, Rana, Hi-Fix, Hydrodist, Sea-Fix, Toran.
4. Computation and plotting of hyperbolic lattices : the methods used by various Hydrographic Offices (Denmark, France, U.S.A., Sweden, Netherlands, United Kingdom).
5. Equipment for use in geodetic surveying : General aspects and use of radio positioning systems, Aga geodimeter, Tellurometer, Electrotape.

including

## **PRECISE POSITIONING SYSTEMS FOR HYDROGRAPHIC SURVEYING**

(S.P. 39 - Series 1977)

Similar to the earlier edition, but in a radically different format and pertaining to the more recently developed radiolocation systems. Sections are individually bound and of about 20 pages each.

At present on issue or in preparation are :

Chapter II : Radio systems.

On issue :

1. Hi-Fix/6 ; 2. Raydist-76 ; 3. Mini-Ranger ; 4. Trisponder.

In preparation :

5. Argo ; 6. Syledis.

Chapter III : Satellite systems.

In preparation :

1. Satellite Positioning Corporation ; 2. Magnavox.

✻

Ultimately S.P. 39 - Series 1977 will supersede the earlier 39, but until that time its sections are being issued as complementary to that publication.

Price : 100 francs.



## THE INTERNATIONAL HYDROGRAPHIC ORGANIZATION

an intergovernmental organization  
also publishes the

# INTERNATIONAL HYDROGRAPHIC BULLETIN

A monthly journal, published by the International Hydrographic Bureau for the benefit of the world hydrographic community, in a bi-lingual edition (English and French), 21 × 30 cm in size, with an average of 45 pages per issue, and comprising :

**SECTION I** — News from Hydrographic Offices; Appointments of Hydrographers; New Membership of the IHO; Reports on various international commissions and committees; Training programmes in hydrographic surveying; Recent developments in hydrographic instrumentation; Operational assessments of equipment; Work being undertaken by the Bureau; Work on the General Bathymetric Chart of the Oceans and the International Set of Charts. Also covered are development and research in the field of hydrography, descriptions of new survey vessels and progress in standardization of charts. "From the Chartroom": notes on charts and nautical documents recently added to our world-wide collection.

**SECTION II** — Reports on hydrographic surveys carried out, or planned for the future, by various countries.

**SECTION III** — Listing of new charts and new editions published by Member States, with their reference number, title, limits, scale and date of publication. Charts and new editions in preparation are also listed. Status catalogue of International Charts in the International Set of Charts, with their International reference number, title, limits, scale, date of publication, and the names of the producer and any printer nations. Publication and new editions of Sailing Directions, Lists of Lights, Tide and Current Tables, Radio Signals, Radio Aids to Navigation, Chart Catalogues.

**SECTION IV** — Lists of selected recent publications and articles concerning hydrography and allied disciplines.

Reviews of some recent publications of particular interest to hydrographers.

The **International Hydrographic Bulletin** is distributed free to the Hydrographic Office of governments belonging to the International Hydrographic Organization.

It is also available for sale to the public on yearly subscription (price 60 French Francs) or per copy (6.00 French Francs) plus postage.



### Conditions of sale of International Hydrographic Bureau Publications

Prices are quoted in French Francs. IHB invoices will be expressed in French Francs or in US \$ at current exchange rates, as appropriate. Packing and postage or shipping expenses will be added to invoices.

Payments may be made to the International Hydrographic Bureau by bank transfer or by cheque.

No credit can be allowed on unwanted publications unless returned immediately.


Orders can be sent either to a bookseller or direct to :

International Hydrographic Bureau, Avenue Président J.F. Kennedy,  
MC MONTE-CARLO, Principality of Monaco.


Teleph. : 50.65.87 — Teleg : BURHYDINT, Monaco  
Telex : (France) 469870 (MCS CARLO), ATTN INHORG





# LOOKING FOR SHIPWRECKS....




Klein HYDROSCAN Side Scan Sonar Record of the Ironclad U.S.S. Monitor [Courtesy of the Harbor Branch Foundation].



American Schooner Hamilton which sank in Lake Ontario in the war of 1812 [Courtesy Royal Ontario Museum and Canada Centre for Inland Waters].




Klein HYDROSCAN Side Scan Sonar Record of an Old Wooden Sailing Barge in the Great Lakes.



**KLEIN ASSOCIATES, INC.**  
**UNDERSEA SEARCH AND SURVEY**  
Route 111 • RFD 2 • Salem, New Hampshire 03079 • USA  
[603]893-6131      Telex 94-7439      Cable: SONAR



.....?



Schooner Turned into Barge.



Old Two-Masted Schooner in the Great Lakes.


**A SIDE SCAN SONAR SYSTEM IS AN  
IMPORTANT INVESTMENT—YOU OUGHT TO  
HAVE THE BEST...**

For over ten years, Klein HYDROSCAN Side Scan Sonar systems have been locating shipwrecks, pipelines, cables, wellheads, downed aircraft, rock outcrops and many other items on the sea floor. We design and manufacture equipment which has a worldwide reputation as the standard of excellence in the industry. Klein HYDROSCAN equipment is in use by clients in over thirty countries as well as more than a dozen U.S. Navy agencies (GSA Contract). We offer systems for sale or lease with purchase option. We supply complete systems for shallow and deep operation with a full line of optional towing accessories and spares. Our clients are backed up by our worldwide network of sales and service representatives. Please contact us for assistance in your application.

# HYDROSCAN

## Klein Side Scan Sonar





# Surveying begins and ends with Decca Sat-Fix

**...anytime  
...anywhere**

Rugged, portable and precise, Decca Sat-Fix satellite receivers are specifically designed for today's geodetic survey operations.

Decca Sat-Fix. It's the system we use ourselves to position survey transmitter station sites. To verify the final positions of offshore structures. And it's the system we've supplied to official and commercial organisations in more than 40 countries.

Automatically recording satellite data on

tape cassettes, and offering repeatable accuracies of up to one metre when used in the translocation mode, Sat-Fix receivers are available in two versions for geodetic use: Sat-Fix/1, and Sat-Fix/3 with microprocessor control.

Write to us for full details of Decca Sat-Fix – the original truly portable doppler satellite survey system for field use – designed and manufactured in the USA by JMR Instruments, Inc.

---


**DECCA SURVEY SAT-FIX** Precision worldwide geodetic positioning

---

Decca Survey Limited, Satellite System Department,  
Kingston Road, Leatherhead, Surrey, KT22 7ND, England.  
Telephone Leatherhead 76971. Telex 928437.







## How do you mark the spot at sea?

Accurate position measurement is our business. Our modern Raydist DR-S system can "mark the spot" within a few feet for your off-shore work hundreds of miles seaward.

To get continuous, repeatable data we use shore stations—just two of them. We made our shore station electronic packages 100 percent solid state for highest reliability, light weight (only 27 pounds) and low power (just 2 amps at 24 volts DC). It takes about two hours to put a station into operation, making Raydist by far the most portable radio-location system available for use beyond line-of-sight.

Do you have unusual or demanding requirements? Raydist has enough built-in flexibility to handle just about anything you can come up with, such as four-party range-range operation, unlimited-user passive operation, and enough output flexibility to handle our wide selection of control and display accessories, or to interface directly with your computer or digital tape recorder. We can even provide our unique HALOP alternate coordinate geometry by means of an inexpensive attachment.

To find out more about Raydist DR-S and the complete line of Raydist accessories, call or write:



### TELEDYNE HASTINGS-RAYDIST

P. O. Box 1275

Hampton, Virginia 23361, U.S.A.

Telephone: (703) 723-6531

TWX: (710) 822 0085

CABLE ADDRESS: "HASTRAY", Hampton, Virginia

**cartography, plant,  
architecture, town  
planning, diagnosis,  
aerial photography,  
medicine, surveying,  
topography, textile  
design, meteorology,  
oil exploration, ship  
building, hydrology,  
engineering and  
electronics.**

## **Computer graphics for you, too!**

Computer graphics are now crossing frontiers and breaking barriers in many sciences and fields of technology.

And computer graphics means Ferranti Cetec. This is our business. This is where we specialise.

A complete interactive graphics system, a total solution or perhaps just a single item of graphics hardware. Ferranti Cetec can meet any or all of your requirements as we offer the most comprehensive range of equipment and services, from tablet digitisers and high precision plotters to interactive multi-station computer drafting systems.

And we don't stop there. Years of investment and experience have produced highly specialised software applications such as printed circuit layout design and automated mapping where our customers include some of the most respected names in this field.

However big or small your graphics requirement, we will be glad to assist.

Contact our Sales Manager with your special requirement or fill in the coupon for more information.

Ferranti Cetec Graphics Limited,  
Ferry Road, Edinburgh EH5 2XS  
Telephone: 031-343 2171 Telex: 72141

To: R. D. Warrender, Sales Manager, 1HR7/75  
Ferranti Cetec Graphics Limited, Ferry Road,  
Edinburgh EH5 2XS

Name


Position

Company


Address & Telephone No.

**FERRANTICETEC  
GRAPHICS LIMITED**





**KAHLSICO BATHY THERMOGRAPH (BT)** is an efficient and reliable device which graphically records on a gold-plated glass slide both temperature and depth measurements as the BT is towed through the water at speeds up to 15 knots. It may be used to depths of 270 meters (900 ft). As illustrated, the equipment comes complete with all accessories, including a calibrated grid, viewer and thermometer, all packed in a special, compartmented storage case.



**HYDROLAB SYSTEM**, a modern and reliable in-situ measuring and monitoring system consisting of a control unit, cable and underwater sonde with sensors to measure various parameters including Temperature, Depth, Conductivity, Dissolved Oxygen, pH, Redox, Specific Ion, etc. Accessory recorders and data loggers are available.



**REMOTE CURRENT METER**, uses a special Savonius rotor and coupled compass to provide accurate measurements of water speed and direction. Special design features make this the most reliable unit available. Accessory recorders and data loggers can be provided as well as temperature and depth measuring systems.

Consult us with regard to your needs for other instruments such as Fog Alarm Systems for platforms or coastlines, Tide Gauges, Current Meters, Corers, Dredges, etc.



P. O. Box 947, EL CAJON, California 92022, U. S. A.  
Telex : 697906 Telephone : (714) 444-2158

Our Instruments Are In World-wide Use  
HYDROLOGY - OCEANOGRAPHY - METEOROLOGY

# HYDROCARTA gives you the surveyor what you need in an automated system — and here's why

## You can use HYDROCARTA for any kind of survey

- Hydrographic
- Oceanographic
- Seismic
- Dredging
- Water Quality
- Siltation

## You can use HYDROCARTA anywhere

- from 80°N to 80°S
- narrow rivers, congested harbours, or miles offshore
- on any Lambert or any Transverse Mercator grid

## You can use any radio positioning (except Omega)

- compute a fix from two different systems and record the triangles of error
- log four systems for offline analysis

## You get more accurate results, because

- the computer looks at every depth
- the fish and the seaweed and the airbubbles get rejected—nearly always
- variable period depth averaging reduces the effect of sea and swell
- quantities based on depths one foot apart tell more than depths twenty feet apart

## You have a comprehensive editing capability

- apply pattern corrections offline and recompute positions
- remove, amend or insert soundings at will
- produce a fair chart you can be proud of

## You retain control and responsibility

- the whole job can be done aboard the ship—avoiding the errors, delays and frustrations of shore data centres

## Because HYDROCARTA is well proven

- three years in the field
- two continuous years on the Mississippi
- 12 months evaluation by the US Marine Corps—and now a repeat order

## Other systems do some of these things.

### No other does them all.

HYDROCARTA has a sensible pricing policy—you only pay for what you need; from \$20,000 for a minimal system, to about \$55,000 for a comprehensive single vessel capability, to over \$250,000 for a ship with three boats, and heave compensators, and a flatbed plotter, and disc memory, and a coordinate digitizer, and....

## THE HYDROCARTA CORPORATION


(713) 932-9979

Please note our new address

10696 Haddington Drive  
Houston, Texas 77043  
TWX: 910-881-7040



# HYDROTRAC gives the best positioning value per dollar



## Accuracy

- Standard deviation .01 lane when propagation variations are excluded

## Range

- 250 nm in the Gulf of Mexico, with a high ambient noise level
- Up to 400 nm when conditions are good

## Retains lane count through electrical storms

- Lightning induced mis-triggering eliminated

## Reliability

- A proven MTBF of 8000 hours per chain

## Flexibility

- Range-range or hyperbolic, two or three Slaves

## Ability to work through skywave

- Assists an experienced operator to maintain lane count

## Ease of maintenance

- By board replacement
- Full documentation provided for onsite board repair

## Range of outputs


- Serial or parallel BCD for computers
- Serial ASCII for calculators
- Analogue for sawtooth recorders

## Well Proven

- Permanent chains in the Gulf of Mexico and the North Sea.
- Demonstrations on request

## Reasonable Price

- Under \$100,000 for a single user system. (FOB Houston)



## REPRESENTATIVES

### JAPAN

Nissho-Iwai Aerospace Co., Ltd.  
5-3, Akasaka 2-Chome  
Minato-Ku Tokyo 107  
Tel: Tokyo (03) 588-4791  
Telex: 781-J22233

### SINGAPORE

International Aeradio (F.E.) Pte. Ltd.  
17 Harper Road  
Singapore 13  
Tel: 88486/7  
Telex: 786-23033

### AUSTRALASIA

Layton Geophysical International  
196 Adelaide Terrace  
Perth, Western Australia 6000  
Tel: (09) 325-8844  
Telex: TOPAZ: AA 92588

### CANADA

M.S.E. Engineering Systems, Ltd.  
265 Canarctic Drive  
Downsview, Ontario M3J 2N7  
Tel: 416/661-5646  
Telex: 65-23982

### UNITED STATES

Engineering Service Associates  
1500 Massachusetts Ave., NW  
Washington, DC 20005  
202/659-8800

The Heckerman Corporation  
814 West Hyde Park Blvd.  
Inglewood, CA 90302  
213/678-2264 or 674-3229  
Telex: 65-3509

Offshore Industries, Inc.  
4315 11th Ave NW  
Seattle, WA 98107  
206/782-8682  
Telex: 32-0225

### UNITED KINGDOM

Gardline Surveys  
Oilmar House  
Admiralty Road  
Great Yarmouth  
Norfolk NR30 3NG  
Tel: Great Yarmouth 67314  
Telex: 97-5296

### SOUTH AFRICA

Scientific Services (Pty) Ltd.  
3 Cardiff Castle,  
Kildare Road  
Newlands, 7700  
Cape, South Africa  
Tel: (0) 21-655364  
Telex: 57 6443


# *FRENCH INSTITUTE OF NAVIGATION*

3, Avenue Octave-Gréard — 75 - PARIS (7<sup>e</sup>)

**Publishes a Technical Review on  
Maritime and Aerial Navigation  
entitled :**

# NAVIGATION

which is issued quarterly



● **Membership.** — Applications should be addressed to the Secretary-General. Admission is decided by the Council. *Navigation* is despatched regularly to Members of the French Institute of Navigation.

● **Annual Dues :**


— Active Members . . . . . **75 F**  
— Associate Members (resident abroad) . . . **85 F**

● **Payment.** — Preferably by bank transfer or postal payment to the Association's Postal Order Account : **I.F.N. 1581-32 Paris.**

Bank cheques payable in Paris in French francs are accepted.



# ...the front cover



# ...the back up

**EVERY CHART AND PUBLICATION LISTED AND AVAILABLE IN THIS CATALOGUE MAY BE OBTAINED FROM**

**J. D. POTTER LIMITED**

**SERVING THE WORLD OF NAVIGATION SINCE 1830**  
145 Mineries London EC3 1NH Tel: 01-709 9076 (Cables Adcharts London) Telex 887386 24 hour Telephone system



**The Journal of Navigation** is the periodical publication of the Royal Institute of Navigation. It contains authoritative papers on every aspect of navigation — air, sea and space — and papers of every type — scientific, historical and narrative. It also publishes reviews of important books on navigation and a record of current navigational work.

The Journal is completely international in character and a sizeable proportion of its contributions always come from abroad. Its circulation likewise is wholly international.

Readers of the Journal comprise members of the Institute and other subscribers who are for the main part air and sea navigators, scientific workers of one kind and another concerned with navigation, and an increasing number of yachtsmen. It is widely circulated at sea, in government departments with navigational responsibilities, and in the shipping and aeronautical industries. The Journal costs £4.50 an issue (£ 14.25 yearly including postage) and is published (January, May & September) by:


**The Royal Institute of Navigation**  
at The Royal Geographical Society  
1 Kensington Gore, London SW7 2AT





**JMR** Satellite Doppler Positioning Systems


## ***JMR-1 if by land....***



A rugged, self-contained positioning system, operable in all outdoor environments.

- \* Accurate 3-dimensional fixed point positions.
- \* A peripheral microprocessor for use in the field or at base camp.
- \* Complete field data recording at only 4.5 watts average power drain from a 12 volt battery.

## ***JMR-2 if by sea....***



A seaworthy, easily installed positioning system designed for integration with navigation sensors.

- \* Real time, 2-dimensional dynamic positioning at sea.
- \* Integral microprocessor for positioning while under way.
- \* Uninterruptable operation from ships power insured by internal battery back-up.

**JMR INSTRUMENTS, INC.**

20621 Plummer Street, Chatsworth, California 91311 U.S.A.  
Phone: (213) 882-2800; Telex 696246; Cable GEOJAMAR

**WORLD WIDE SALES & SERVICE**



## **DO YOU CATCH A BOAT TO WORK?**

If you do you will be better informed as a member of the HYDROGRAPHIC SOCIETY and a reader of the HYDROGRAPHIC JOURNAL.

### **THE HYDROGRAPHIC SOCIETY**

The Hydrographic Society was formed to further the interests of all those concerned with surveying at sea. Its membership is international and broadly based, in order to unite surveyor, equipment manufacturer and client. Over 40 Corporate Members and 500 surveyors, engineers, geologists and geophysicists from more than 30 countries now enjoy the benefits of membership.

The Society offers a variety of services to members, including a Journal, Information Sheets at approximately two-monthly intervals, Special Publications, Symposia, lectures and an employment information service.

### **THE HYDROGRAPHIC JOURNAL**

As the forum of the Hydrographic Society, the Journal provides a medium wherein the knowledge, experience and views of individuals, firms, and organisations engaged in the profession of surveying at sea can be published. It also records the activities and functions of the Society.

Three issues per annum.

The options are:-

Full Individual Membership — £2 joining fee and £7.50 p.a. (Journals and Information Sheets supplied free, by airmail).

Full Corporate Membership (for organisations)  
— £20 joining fee and £40 p.a.

Subscriber (non member) —  
£15p.a. plus postage (Journal)  
£21p.a. plus postage (Journal and information sheets)

For further information and membership applications write to:-


Hon. Secretary  
The Hydrographic Society  
Department of Land Surveying  
North East London Polytechnic  
LONDON E17 4JB

For Journal subscription write to:-

Subscription Secretary  
67 Kingtree Avenue  
Cottingham  
North Humberside  
HU16 4DR



## For deep water...



Bathymetric systems that meet the specialized requirements of these three categories of undersea survey are available from Raytheon. The Pioneers in acoustic undersea research instrumentation.

Raytheon's deep water bathymetric system can be as simple or as sophisticated as your survey's needs. The basic system consists of a Line Scan Recorder, precision PTR-105 Sonar Transceiver, and an appropriate high power transducer for bottom or sub-bottom profiling. The low cost, all-solid state LSR provides 4 switch selectable line densities, on dry electrosensitive recording paper. The PTR-105 Sonar Transceiver is designed for wide variability in output power, frequency selection and pulse length, and features coherent keying to minimize transducer ring. For greater versatility, the system can be expanded to include a PDD Precision Depth Digitizer for automatic data digitizing... and a CESP II Correlation Echo Sounder Processor for increasing voyage cost-effectiveness by improving record clarity and allowing higher at-sea operating speeds, particularly in heavy weather.


## shallow water...



For inshore operation — at depths to 400 ft., the portable, battery-operated RTT-1000A Survey System provides a flexible, low cost source for both high resolution bathymetry and sub-bottom profiling. The system includes a 200 kHz DE-719 Survey Fathometer plus a PTR-106 Precision Transceiver and 3.5/7 kHz broadband transducer. The RTT-1000 is simple to set up and operate — even at two frequencies simultaneously. A major operating feature is the bottom triggered TVG that prevents false triggering from low frequency noise.

## channel sweeping.

The Channel Sweep System, DE-719-CSS is significantly faster than the bar-sweep method of channel depth survey. This portable system operates in any type craft, with only one operator. It provides 100% bottom coverage and operates effectively with or against the current. Multiplexed 200 kHz transducers provide overlapping sonic beams to the recording fathometer making it possible to conduct sweeping and post-dredging soundings simultaneously.



**Raytheon makes the Bathymetric Systems for all three.** 

For complete technical data on Raytheon Bathymetric Systems and Instrumentation, contact the Marketing Manager, Raytheon Company, Ocean Systems Center, Portsmouth, R.I. 02871 (401) 847-8000, ext. 2646.



The Canadian Hydrographers Association  
publishers of

## **LIGHTHOUSE**

**A journal dedicated to promoting the free exchange of information within the hydrographic community and to advancing the technical and professional ability of hydrographers.**

LIGHTHOUSE is published twice yearly, in April and November;  
yearly subscription rate is \$6.00 (Canadian).

Correspondence should be addressed to:

The Editor  
LIGHTHOUSE  
c/o The Canadian Hydrographers Association  
P O Box 5050  
867 Lakeshore Road  
Burlington, Ontario  
Canada  
L7R 4A6

**Versatility, reliability,  
rapid response**



# ONI

Radiopositioning personnel and equipment from depots at strategic locations throughout the world permit rapid response to your changing marine and airborne positioning needs, backed by ONI's traditional reliability, experience and diversity of systems — SHORAN, MAXIRAN, ONIX, MINI-RANGER, RAYDIST, ARGO, LORAN-C, SATELLITE NAVIGATION, ATNAV and the new RS-900 ACOUSTIC SYSTEM. Write for a copy of our Services Catalog.

## **OFFSHORE NAVIGATION, INC.**

International Offshore Navigation, Inc.; Offshore Navigation (Canada), Ltd.; Servicios Radiometricos, S.A.

P. O. Box 23504 • New Orleans, Louisiana 70183  
Phone (504) 733-6790 • Cable "OFFNAV" • Telex 058-381

**OFFICES IN:** New Orleans, Houston, Anchorage, Calgary, Tampico, Singapore, Geneva, Perth.







**THE  
INTERNATIONAL HYDROGRAPHIC REVIEW**

## FOREWORD

The *International Hydrographic Review* is published twice a year (January and July) in separate English and French editions.

**The Directing Committee and the Editor are not responsible for statements or opinions expressed by contributors to the Review.**

Original articles are welcomed on hydrography, oceanography, cartography, photogrammetry, geodesy, navigation and allied subjects, radio aids, automation, new instruments, equipment and hydrographic vessels, as well as on the history and organization of hydrographic offices.

The latest date for receipt of manuscripts is :

— 1 August for January issue,

— 1 February for July issue,

but earlier submission greatly facilitates the work of preparing translations.

Articles should be addressed to : The Directing Committee, International Hydrographic Bureau, Avenue Président J.F. Kennedy, MC MONTE-CARLO (Principality of Monaco).

Up to 50 reprints per article can be supplied free to the author(s). They must be ordered prior to publication, and may be in either language or a proportion in each. Further copies ordered are charged at cost price.

### Notes for contributors

Texts should be submitted in English or French (or both) though by special arrangement Spanish, Italian or German could be accepted for translation by the Bureau. The papers should be as concise as possible for maximum reader value, and an abstract of up to 150 words is desirable. Uncommon expressions or constructions should be avoided, since :

a) they hamper the production of a definitive translation in the Bureau;

b) a large proportion of readers are still necessarily reading the Review in a foreign language.

Any permission needed to incorporate material published elsewhere is the responsibility of authors, and the Editor will assume that such permission has been obtained.

Two copies of the article are required, typed in double spacing with adequate margins and on one side of the paper only. Authors should check manuscripts very carefully as the Bureau takes no responsibility for errors of fact or presentation.

Bibliographic references should be listed at the end of the article in the standard Harvard form. Footnotes should be kept to a minimum, and metric measures used throughout.

Illustrations, already numbered and titled, should be sent ready for reproduction by the offset method and for reduction to 13 × 20 cm, the effective size of a Review page. Positive or negative transparencies (repromats) are preferred.

As the Review is a two-language publication a minimum of wording should be shown on the illustrations themselves, explanations being confined to the legend beneath.

Photographs should be black and white glossy prints and be limited to those necessary for an understanding of the text.


Printer's proofs are corrected in the Bureau and are not normally sent to authors.



# THE INTERNATIONAL HYDROGRAPHIC REVIEW

Vol. LVI

N° 1



(No 104 OF THE SERIES)

PUBLISHED BY

THE

**INTERNATIONAL HYDROGRAPHIC BUREAU**

**Avenue Président J. F. Kennedy, Monte-Carlo**

**MONACO**

**PRINCIPALITY**



**JANUARY 1979**

IMPRIMERIE LOUIS-JEAN

GAP

# INTERNATIONAL HYDROGRAPHIC ORGANIZATION

---

## MEMBERS OF THE IHO

---

ARGENTINA  
AUSTRALIA  
BRAZIL  
CANADA  
CHILE  
CUBA  
DENMARK  
DOMINICAN REPUBLIC  
ECUADOR  
EGYPT, ARAB REPUBLIC OF  
FINLAND  
FRANCE  
GERMANY,  
FEDERAL REPUBLIC OF  
GREECE  
GUATEMALA  
ICELAND  
INDIA  
INDONESIA  
IRAN  
ITALY  
JAPAN  
MALAYSIA  
MONACO

NETHERLANDS  
NEW ZEALAND  
NIGERIA  
NORWAY  
PAKISTAN  
PHILIPPINES  
POLAND  
PORTUGAL  
REPUBLIC OF KOREA  
REPUBLIC OF SOUTH AFRICA  
SINGAPORE  
SPAIN  
SWEDEN  
SYRIAN ARAB REPUBLIC  
THAILAND  
TURKEY  
UNION OF SOVIET  
SOCIALIST REPUBLICS  
UNITED KINGDOM OF GREAT  
BRITAIN AND NORTHERN  
IRELAND  
UNITED STATES OF AMERICA  
VENEZUELA  
YUGOSLAVIA  
ZAIRE

---

## INTERNATIONAL HYDROGRAPHIC BUREAU

---

### DIRECTING COMMITTEE

*President* : Rear Admiral G.S. RITCHIE, C.B., D.S.C., F.R.I.C.S., Royal  
British Navy (Ret.).

*Directors* : Rear Admiral D.C. KAPOOR, AVSM, Indian Navy (Ret.).  
Captain J.E. AYRES, U.S. Navy (Ret.).

Price 60.00 French Francs. For conditions of sale see *List of Publications 1979*.

## TABLE OF CONTENTS

---

— <b>Argentina's new hydrographic vessel <i>Comodoro Rivadavia</i></b> . . . . .	7
(J.L. SCIOTTI).	
— <b>Towed echo-sounders for parallel sounding</b> . . . . .	13
(H.S.T. BECH).	
— <b>Accurate chart latticing for Loran-C</b> . . . . .	21
(R.M. EATON, A.R. MORTIMER, D.H. GRAY).	
— <b>Sea Beam, multi-beam echo-sounding in <i>Jean Charcot</i>: Description, evaluation and first results</b> . . . . .	35
(V. RENARD, J.P. ALLENOU).	
— <b>The charting implications of IALA buoyage System 'A'</b> . . . . .	69
(F.A. PIELOU).	
— <b>Multi-disciplinary survey of the Sénégal/Gambia continental margin</b> . . . . .	81
(A. RUFFMAN, L. MEAGHER, J. MCG. STEWART, D. MONAHAN).	
— <b>Captain Cook and the crumpled echogram</b> . . . . .	107
(C. MAGEAU).	
— <b>Early French hydrographic surveys in the Saint Lawrence River</b> . . . . .	125
(J.S. PRITCHARD).	
— <b>A uniform tidal datum system for the United States of America</b> . . . . .	143
(R.L. SWANSON, C.I. THURLOW).	
— <b>Half-effect applied to equidistance lines</b> . . . . .	153
(P.B. BEAZLEY).	
— <b>Fifty years ago</b> . . . . .	161